



IMG 400, measuring and control unit



伯東
Hakuto

PFEIFFER VACUUM

IMG 400, measuring and control unit

- Total pressure measurement and control in the UHV range
- For the operation of a Bayard-Alpert gauge IMR 420 or extractor gauge IMR 430
- Two IMR gauges can be connected simultaneously with automatic switching (backup operation)
- In addition, two ActiveLine Pirani and/or capacitive gauges can be connected
- Pressure display as numerical value, baragraph and pressure over time
- Switching the emission on and off is also possible via remote
- Relay outputs for measuring channel, emission, degas, channel and trigger
- Automatic emission current cut-off
- Can be used as table top or as rack mount unit
- Slot for optional Profibus interface card IF 400 P

Technical Data	IMG 400, measuring and control unit
Display rate	4 Hz
For gauge	IMR 420 IMR 430, TPR 270 TPR 280, CMR 36x
Interfaces	RS-232
Mains requirement: frequency (range)	47 – 63 Hz
Mains requirement: power consumption	300 W
Mains requirement: voltage (range)	90 – 264 V AC
Measurement range max.	$1.1 \cdot 10^3$ hPa $8.25 \cdot 10^2$ Torr $1.1 \cdot 10^3$ mbar
Measurement range min.	$2 \cdot 10^{-12}$ hPa $1.5 \cdot 10^{-12}$ Torr $2 \cdot 10^{-12}$ mbar
Output signal: Measurement range	0 – 10 V
Protection category	IP20
Set point: Changeover contact, potential-free	2 Stück
Temperature: Operating	5 – 45 °C
Temperature: Storage	-20 – 60 °C
Weight	3 kg 6.61 lb

Order number	
IMG 400	PT G25 400

Accessories	
Accessories for interface cards	
Blank panel, for IF 300	PT 441 017
Measurement cable IMG 400 to IMR 420 and IMR 430	
Measruement cable IMG 400 for IMR 420 and IMR 430, 10 m	PT 548 334 -T
Measurement cable IMG 400 for IMR 420 and IMR 430, 10 m	PT 548 344 -T
Measurement cable IMG 400 for IMR 420 and IMR 430, 3 m	PT 548 332 -T
Measurement cable IMG 400 for IMR 420 and IMR 430, 50 m	PT 543 338 -T
Measurement cable IMG 400 for IMR 420 and IMR 430, 5 m	PT 548 333 -T
Relay- and interface card IF 400 P	
Relay- and interface card IF 400 P	PT 441 495 -T



伯东企业（上海）有限公司
HAKUTO ENTERPRISES (SHANGHAI) LTD.
TEL: (86) 21-5046 3511 FAX: (86) 21-5046 1490

上海伯东—您理想的真空合作伙伴！

伯东公司成立于1953年，全球范围内有一千七百名员工。伯东企业（上海）有限公司 www.hakuto-vacuum.cn 主要从事半导体设备、电子零部件加工、销售及相关服务工作，集团年营业额约为100亿人民币。伯东公司在国内主要城市：上海、北京、苏州、广州、深圳、成都、厦门及香港、台湾设有营业据点。

上海伯东真空产品事业部秉承为广大中国客户提供世界一流的真空产品、推动中国真空工艺发展、承担企业社会责任为经营理念，已累计为超过10,000家企业提供真空服务，覆盖工业、半导体、镀膜、科研和分析行业。

上海伯东 Hakuto 代理品牌包含：德国 Pfeiffer 全系列真空产品、美国 KRI 离子源、美国 Brooks Polycold 制冷机、美国 HVA 真空阀门、美国 inTEST (Temptronic) 高低温循环测试机，NS 离子蚀刻机，真空镀膜系统及配套真空零配件等。

上海伯东 Hakuto 作为国际知名真空品牌指定授权代理商，全权负责在中国地区的销售和维修服务，100% 使用原厂进口零部件以及国外受训维修工程师；拥有完全的拆解、维修、校正能力并提供24小时在线服务。



● 营业维修服务据点



伯东企业（上海）有限公司
HAKUTO ENTERPRISES (SHANGHAI) LTD.
TEL: (86) 21-5046 3511 FAX: (86) 21-5046 1490

伯东企业（上海）有限公司 销售及售后服务中心

上海市外高桥保税区希雅路33号17#3楼B座

电 话: +86-21-5046-3511

传 真: +86-21-5046-1490

邮 箱: ec@hakuto-vacuum. cn

官 网: <http://www.hakuto-vacuum.cn>

24 h售后维修专线: 1381-880-1372

伯东企业（上海）有限公司 北京办事处 销售中心

北京丰台区芳群园四区22号楼金城中心705室

电 话: +86- 010-8768-4988

传 真: +86-21-5046-1490

邮 箱: ec@hakuto-vacuum. cn

官 网: <http://www.hakuto-vacuum.cn>

伯东企业（上海）有限公司 深圳办事处 销售中心

深圳市罗湖区宝安南路1036号鼎丰大厦501

电 话: +86- 0755-2547-3988. 643

传 真: +86-21-5046-1490

邮 箱: ec@hakuto-vacuum. cn

官 网: <http://www.hakuto-vacuum.cn>

伯东国际通商股份有限公司 销售及售后服务中心

台北市中山区八德路二段308号6楼

电 话: +886-2-8772-8910

传 真: +886-2-8772-8918

邮 箱: ec@hakuto-vacuum. cn

官 网: <http://www.hakuto-vacuum.com.tw>

新竹市埔顶路25号8楼之一

电 话: +886-3-5679508

传 真: +886-3-5670049

邮 箱: ec@hakuto-vacuum. cn

官 网: <http://www.hakuto-vacuum.com.tw>