




Illustration only


ACP 120 G version, with inlet tube

- High throughput, pumping speed 110 m³/h
- 3-phase motor 200 – 480 V
- Integrated Nitrogen gas ballast
- Inlet pipe NW 50 ISO-KF

Characteristics



Dimensions



Technical Data	ACP 120 G version, with inlet tube
Cooling method	Water
Motor type	3-phase motor
Pumping speed category	120 m ³ /h
Power consumption at ultimate pressure, 50 Hz	1.3 kW
Power consumption at ultimate pressure, 60 Hz	1.5 kW
Continuous inlet flow, max.	80 slpm (0 °C)
Typical ultimate pressure, with N ₂ purge, 50 Hz	3 · 10 ⁻¹ hPa
Typical ultimate pressure, with N ₂ purge, 60 Hz	1 · 10 ⁻¹ hPa
Pump volume, max.	1 m ³
Processes	Light duty applications
Version	Corrosive gas version
Ambient temperature	5 – 40 °C
Input voltage(s)	200 – 480 V AC, 50/60 Hz
Emission sound pressure level (EN ISO 2151)	65 dB(A)
Typical ultimate pressure, with N ₂ purge, 50 Hz	3 · 10 ⁻¹ hPa 2.25 · 10 ⁻¹ Torr 3 · 10 ⁻¹ mbar
Typical ultimate pressure, with N ₂ purge, 60 Hz	1 · 10 ⁻¹ hPa 7.5 · 10 ⁻² Torr 1 · 10 ⁻¹ mbar
Exhaust pressure, max.	1,200 hPa 900 Torr 1,200 mbar
Maximum continuous inlet flow	80 slpm (0 °C)
Pumping speed at 60 Hz	112 m ³ /h 65.92 cfm 1,866.7 l/min
Pumping speed at 50 Hz	95 m ³ /h 55.917 cfm 1,583.365 l/min
Exhaust pressure, max.	1,200 hPa
Cooling water flow	Minimum: 60 l/h
Dimensions (L x W x H)	872 x 370 x 469 mm
Connection flange	DN 50 ISO-KF / DN 40 ISO-KF
Weight	213 kg
Pumping speed at 60 Hz	112 m ³ /h
Pumping speed at 50 Hz	95 m ³ /h
Connection flange (in)	DN 50 ISO-KF
Connection flange (out)	DN 40 ISO-KF
Order number	ACP 120 G version, with inlet tube
ACP 120 G version, with inlet tube	ACP120GSP21111



伯东企业（上海）有限公司
HAKUTO ENTERPRISES (SHANGHAI) LTD.
TEL: (86) 21-5046 3511

上海伯东 -- 您理想的真空合作伙伴！

伯东公司成立于 1953 年，外企上市企业，全球范围内有一千七百名员工，集团年营业额约为 100亿人民币。

伯东公司在国内主要城市：上海，北京，苏州，广州，深圳，成都及厦门设有营业据点。

上海伯东真空产品事业部已累计为超过 10,000 家企业提供真空服务

我们致力于追求高品质的服务，为您提供一流的服务及一流产品：

品质保障：国际知名品牌指定授权代理商，所有产品及部件保证 100% 原厂原装进口

现货交期快：部分产品有现货，下单立即发货（现货数量有限，实际情况请联系销售工程师）

卓越维修能力：伯东工程师拥有10年以上维修经验，且受国外专业培训，拥有完全的拆解，维修，校正能力。

完美服务质量：原装进口检测设备全方位寻找问题症结及全方面的性能测试，确保完美的服务质量



伯东企业（上海）有限公司 销售及售后服务中心

上海浦东新区新金桥路1888号36号楼7楼702室

电话：+86-21-5046-3511 / 139-1883-7267

传真：+86-21-5046-1490

官网：<http://www.hakuto-vacuum.cn>

