



OME 63 M, oil mist separator for pumping speeds up to 135 m³/h






Illustration only

OME 63 M, oil mist separator for pumping speeds up to 135 m³/h

- For the exhaust flange
- Prevents emission of oil mist
- Customer benefits: Clean, oil mist free exhaust air

Dimensions



A	440 mm
B	196 mm
C	366 mm
D	147 mm
DN 1	DN 63 ISO-K
DN 2	DN 63 ISO-K
E	53.5 mm
F	260 mm

Technical Data	OME 63 M, oil mist separator for pumping speeds up to 135 m³/h
Cartridge material	Glass mat Polyester
Housing	Aluminum
For pumping speed up to	135 m ³ /h 79.461 cfm 2,250.045 l/min
Pressure max. (absolute)	1,500 hPa 1,125 Torr 1,500 mbar
Capacity	1.7 l
Capacity OME with ODK	1.7 l
Pressure max. (absolute)	1,500 hPa
Degree of separation	99.98 %
Exhaust pressure, max.	Atmospheric pressure
Connection flange	DN 63 ISO-F / DN 63 ISO-K
Weight	13.5 kg
Connection flange (in)	DN 63 ISO-F
Connection flange (out)	DN 63 ISO-K

Order number	OME 63 M, oil mist separator for pumping speeds up to 135 m³/h
OME 63 M, oil mist separator for pumping speeds up to 135 m ³ /h	PK Z40 010 A



伯东企业（上海）有限公司
HAKUTO ENTERPRISES (SHANGHAI) LTD.
TEL: (86) 21-5046 3511

上海伯东 -- 您理想的真空合作伙伴！

伯东公司成立于 1953 年，外企上市企业，全球范围内有一千七百名员工，集团年营业额约为 100亿人民币。

伯东公司在国内主要城市：上海，北京，苏州，广州，深圳，成都及厦门设有营业据点。

上海伯东真空产品事业部已累计为超过 10,000 家企业提供真空服务

我们致力于追求高品质的服务，为您提供一流的服务及一流产品：

品质保障：国际知名品牌指定授权代理商，所有产品及部件保证 100% 原厂原装进口

现货交期快：部分产品有现货，下单立即发货（现货数量有限，实际情况请联系销售工程师）

卓越维修能力：伯东工程师拥有10年以上维修经验，且受国外专业培训，拥有完全的拆解，维修，校正能力。

完美服务质量：原装进口检测设备全方位寻找问题症结及全方面的性能测试，确保完美的服务质量



伯东企业（上海）有限公司 销售及售后服务中心

上海浦东新区新金桥路1888号36号楼7楼702室

电话：+86-21-5046-3511 / 139-1883-7267

传真：+86-21-5046-1490

官网：<http://www.hakuto-vacuum.cn>

